


WERSJA 1

DN	WYMIARY [CAL]		WYMIARY [MM]			WAGA BEZ PŁYWAKA [KG]	ŚREDNICA PŁYWAKA [MM]
	R	A	L	H1	H2		
10	3/8" G	32	300	70	260	0.107	90
15	1/2" G	35	405	124	370	0.175	110
20	3/4" G	42	485	148	420	0.300	160
25	1" G	45	562	150	496	0.366	160
32	1 1/4" G	53	580	170	496	0.464	160

DN	PRZEPIYW [L/H]						
	1 BAR	2 BAR	3 BAR	4 BAR	6 BAR	8 BAR	10 BAR
10	1 132	1 669	1 904	2 169	2 656	2 825	3 082
15	2 829	3 998	4 895	5 657	6 790	7 978	8 938
20	4 838	6 842	8 307	9 677	11 805	13 993	15 289
25	6 934	9 919	12 147	14 068	17 167	19 654	21 945
32	7 280	10 414	12 754	14 771	18 025	20 636	23 051


*Dane orientacyjne - producent zastrzega sobie prawo do wprowadzania zmian w konfiguracji technicznej.



WERSJA 2

DN	WYMIARY [CAL]		WYMIARY [MM]			WAGA BEZ PŁYWAKA [KG]	ŚREDNICA PŁYWAKA [MM]
	R	A	L	H1	H2		
10	3/8" G	32	300	83	235	0.207	90
15	1/2" G	35	410	127	375	0.310	110
20	3/4" G	42	490	155	436	0.486	160
25	1" G	45	585	174	521	0.554	160
32	1 1/4" G	52	585	164	520	0.727	160
40	1 1/2" G	60	710	253	651	2.795	200
50	2" G	70	798	255	736	3.041	200
65	2 1/2" G	80	805	277	737	3.710	200
80	3" G	170	1447	310	1248	15.820	300

DN	PRZEPŁYW [L/H]						
	1 BAR	2 BAR	3 BAR	4 BAR	6 BAR	8 BAR	10 BAR
10	1 132	1 669	1 904	2 169	2 656	2 825	3 082
15	2 829	3 998	4 895	5 657	6 790	7 978	8 938
20	4 838	6 842	8 370	9 677	11 805	13 993	15 289
25	6 934	9 919	12 147	14 068	17 167	19 654	21 945
32	7 440	10 643	13 034	15 095	18 420	21 089	23 547
40	15 566	21 948	26 928	31 104	37 635	43 657	51 516
50	23 685	33 863	40 977	47 372	45 792	67 532	75 500
65	24 689	35 556	43 025	49 740	60 680	70 908	79 275
80	55 868	79 013	96 783	111 756	136 873	158 047	173 703



WERSJA 3

DN	WYMIARY [CAL]		WYMIARY [MM]				WAGA BEZ PŁYWAKA [KG]	ŚREDNICA PŁYWAKA [MM]
	R	A	L	H1	H2	W		
10	3/8" G	32	391	190	403	135	0.703	110
15	1/2" G	35	391	190	403	135	0.741	110
20	3/4" G	42	455	248	517	198	1.075	160
25	1" G	45	455	250	517	200	1.186	160

DN	PRZEPIY [L/H]						
	1 BAR	2 BAR	3 BAR	4 BAR	6 BAR	8 BAR	10 BAR
10	1 301	1 944	2 422	2 820	3 483	4 038	4 523
15	2 600	3 880	4 840	5 600	6 960	8 070	9 040
20	4 726	7 061	8 797	10 243	12 651	14 667	16 429
25	6 895	10 303	12 836	14 946	18 459	21 401	23 971

*Dane orientacyjne - producent zastrzega sobie prawo do wprowadzania zmian w konfiguracji technicznej.